MiniO

- Setup MinIO as AWS S3 alternative in development with docker

Setup MinIO as AWS S3 alternative in development with docker

Installation

1. Make sure your local machine already have Docker installed.
2. Run MinIO:

```
docker run \
  -p 9000:9000 \
  -p 9001:9001 \
  --name minio-local \
  -v ${HOME}/projects/minio:/data1 \
  -e "MINIO_ROOT_USER=miniouser" \
  -e "MINIO_ROOT_PASSWORD=miniopass" \
  quay.io/minio/minio server /data1 --console-address ":9001"
```



3. On your Laravel project, install the dependency

```
composer require --with-all-dependencies league/flysystem-aws-s3-v3 "^1.0"
```


4. Change the `.env` on your project

```
AWS_ACCESS_KEY_ID=miniouser
AWS_SECRET_ACCESS_KEY=miniopass
AWS_DEFAULT_REGION=us-east-1
AWS_BUCKET=testing-saint
AWS_USE_PATH_STYLE_ENDPOINT=false
AWS_ENDPOINT="http://127.0.0.1:9000"
```


5. Running after rebooting your PC / Laptop / Mac (shall I mention rpi too?)

```
docker start minio-local
```

6. Accessing the web interface Open your web browser, access `http://localhost:9001`
7. Creating bucket



Click 'Create Bucket', and a modal window will be shown like this:



Set the bucket name. The bucket name will be used as `AWS_BUCKET` in your app.

Further Reading

MinIO Documentation