

# Setting Up

## Microservice - PMB Schools

### Installation

```
docker run \
  --name microservice-sekolah \
  -e OCTANE_SERVER=swoole\
  -e APP_KEY=base64: pQ5RRwUuTRa0dkESrBActaiTXB0q0pvVPxkb4u07GvY= \
  -e APP_DEBUG=false \
  -e DB_CONNECTION=mysql \
  -e DB_HOST=HOST_IP \
  -e DB_PORT=HOST_PORT \
  -e DB_DATABASE=DATABASE \
  -e DB_USERNAME=dbuser \
  -e DB_PASSWORD=dbpass \
  -p 8000:8000 \
  shadowbane/microservice-pmb-school:latest
```

Sesuaikan value dari `DB_HOST`, `DB_PORT`, `DB_DATABASE`, `DB_USERNAME`, dan `DB_PASSWORD`.

### First Time Setup

Buka tab baru pada terminal. Jalankan `docker exec -it microservice-sekolah bash`. Kemudian, jalankan:

```
php artisan migrate: fresh --seed
```

### Testing via browser

Buka browser, test akses ke: <http://localhost:8000/api/v1/school>.

# Siakad Configuration

Silahkan buka <https://siakad.test/setting?key=microservice&persistent-table=true>

pastikan konfigurasi sesuai dengan pada gambar berikut:

URL to School Microservice	microservice.url.school	<a href="http://localhost:8000/api">http://localhost:8000/api</a>
----------------------------	-------------------------	-------------------------------------------------------------------

Revision #3

Created 17 November 2021 03:32:36 by Adli Ikhwanur Ifkar

Updated 17 November 2021 03:41:26 by Adli Ikhwanur Ifkar